

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1477	(object with persistence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:16
L2	2	("6366943").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:33
L3	2	("6366934").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:34
L4	987	(xml with parse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:35
L5	214	4 and ((search\$ or quer\$) with pars\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:36
L6	35	5 and (filter with (search\$ or quer\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:37
L7	12	6 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:08
L8	2	("6591272").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:42
L9	14	5 and filter and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:44

L10	17	5 and filter\$ and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:45
L11	9	10 and (object with (class\$4 or instance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:52
L12	73	(search\$ with salary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:53
L13	21	12 and (compan\$4 with (department\$ or division))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:05
L14	1	13 and filter\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:54
L15	44	uml and xml and (pars\$3 with (request\$ or search\$ or quer\$)) and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:20
L16	33	15 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:09
L17	39	15 and @ad<"20001102"16 and (relation\$ with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:21
L18	31	16 and (relation\$ with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:10
L19	50	uml and xml and (pars\$3 with (request\$ or search\$ or quer\$)) and (relation\$ with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:22

L20	50	19 and @ad<"20001102"16 and (relation\$ with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:22
L21	32	19 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:25
L22	32	21 and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:22
L23	712	xml and (pars\$3 with (request\$ or search\$ or quer\$)) and (relation\$ with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:34
L24	115	23 and (persistence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:23
L25	93	24 and (object with (class or instance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:24
L26	11	25 and (company with (department or division))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:25
L27	0	26 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:25
L28	39	25 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:26
L29	0	28 and (compan\$ with (department or division))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:25

L30	0	3 and @ad<"20001102" and ((search\$ or quer\$) with salar\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:35
L31	60	xpath and (pars\$3 with (request\$ or search\$ or quer\$)) and (relation\$ with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:38
L32	6	31 and inheritance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:35
L33	0	32 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:35
L34	2	31 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:47
L35	578	universal and (pars\$3 with (request\$ or search\$ or quer\$)) and (relation\$ with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:18
L36	2	("6085196").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:42
L37	1121	(filter with pars\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:18
L38	2	("5999940").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:46
L39	30	((search\$ or quer\$) with (director\$ or folder)) and xml and xpath	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:47

L40	0	39 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:47
L41	1276	((search\$ or quer\$) with (director\$ or folder)) and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:47
L42	149	41 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:22
L43	24	42 and company and employee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:51
L44	56	42 and pars\$3 and filter\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:54
L45	4	7 and (707/3).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:16
L46	4	7 and (707/4).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:17
L47	1	7 and (707/5).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:17
L48	0	7 and (707/103).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:17
L49	0	41 and (707/103).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:18

L50	114	41 and (707/3).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:22
L51	21	50 and (pars\$3 with (request\$ or search\$ or quer\$)) and (relation\$ with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:20
L52	2699	search\$ with package	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:21
L53	241	52 and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:21
L54	62	52 and sql and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:21
L55	4	54 and (707/3).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:29
L56	1	55 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:23
L57	7474	((search\$ or quer\$ ) with path) and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:24
L58	32	57 and xml and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:26
L59	26	57 and xml and sql and (relation\$ with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:26

L60	6	59 and (707/3).cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 17:29
-----	---	---------------------	---	----	----	------------------

Google™ [Web](#) [Images](#) [Groups](#)<sup>New!</sup> [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 2 of 2 for xml filter parse "persistence layer" xpath w3c uml directory . (0.32 seconds)

Did you mean: xml filter parse "persistence layer" xpath w3c **xml** directory

[PDF] [&= operator, 49, 65 |= operator, 49, 65 % wildcard, 128 \\_ wildcard ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... DB API, 55 **XML**-RPC interface, 52 **XPath** query engine ... 131 Files, processing by URL, 142 **Filter** expressions, 279 ... and Oceanography Center), 356 FOR **XML** query, 170 ...

[www.awprofessional.com/content/images/0201844524/index/chaudhriindex.pdf](#) - [Similar pages](#)

[PDF] [Tutorials](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Both support working with **UML** and are great for generating pretty class ... web application framework in Perl, which works together with the **persistence layer** SPOPS ...

[perl.apache.org/docs/tutorials/tutorials.pdf](#) - [Similar pages](#)

Did you mean to search for: xml filter parse "persistence layer" xpath w3c **xml** directory


 Free! [Google Desktop Search](#): Search your own computer.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google




[Web](#) [Images](#) [Groups](#)<sup>New!</sup> [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 9 of about 20 for xml filter parse "persistence layer" search xpath w3c relational. (0.47 sec)

### eCots - Apache Software License

**Filter:** Products (21) | Organizations (0) | WebLinks (0 ... that is, for parsers; which **parse XPath** expressions. ... for describing two-dimensional graphics in **XML**. ...  
[www.ecots.org/display.jsp?portal=c\\_28081&cids=d\\_26586&sort=author](http://www.ecots.org/display.jsp?portal=c_28081&cids=d_26586&sort=author) - 74k - Supplemental Result -  
[Cached](#) - [Similar pages](#)

### Alternate Data Storage Technologies

... If it's a simple **filter** then is **relational** really necessary ... a proprietary format that is faster to **parse** for use ... benefit is that there's no parsing **XML** trees or ...  
[www.io.com/~jimm/writing/alternate\\_storage.html](http://www.io.com/~jimm/writing/alternate_storage.html) - 40k - [Cached](#) - [Similar pages](#)

### Neohapsis Archives - Freshmeat News - [fm-news] Newsletter for ...

... the INPUT and OUTPUT chains of the **filter** table ... be expressed as z(x,y). To **parse** complex mathematical ... XPointer, HTML4, XInclude, SGML Catalogs, and **XML** Catalogs ...  
[archives.neohapsis.com/archives/apps/freshmeat/2002-12/0011.html](http://archives.neohapsis.com/archives/apps/freshmeat/2002-12/0011.html) - 76k - [Cached](#) - [Similar pages](#)

### Neohapsis Archives - Freshmeat News - #0021 - [fm-news] Newsletter ...

... template scripts using \$this->plugin(), and has an output **filter** system so ... rename feeds you have subscribed to, and the **XML** parser can now **parse** feeds that ...  
[archives.neohapsis.com/archives/apps/freshmeat/2003-10/0021.html](http://archives.neohapsis.com/archives/apps/freshmeat/2003-10/0021.html) - 101k -  
[Cached](#) - [Similar pages](#)  
[\[ More results from archives.neohapsis.com \]](#)

### [PDF] &= operator, 49, 65 |= operator, 49, 65 % wildcard, 128 \_ wildcard ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... 50 schema-less **XML** data storage, 44 **search** engine, 43 ... 131 Files, processing by URL, 142 **Filter** expressions, 279 ... and Oceanography Center), 356 FOR **XML** query, 170 ...  
[www.awprofessional.com/content/images/0201844524/index/chaudhriindex.pdf](http://www.awprofessional.com/content/images/0201844524/index/chaudhriindex.pdf) - [Similar pages](#)

### [PDF] Jakarta's World

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... Test-Protokolle: HTTP, FTP, JDBC, SOAP/**XML** Ziel-Typen: Servlets/JSPs, FTP-Server, Database ... Parameter aus **XML**-Datei beziehen Page 23. ...  
[www.jugm.de/members/public/JakartasWorld\\_v1.0.pdf](http://www.jugm.de/members/public/JakartasWorld_v1.0.pdf) - [Similar pages](#)

### [PDF] Tutorials

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... Socket connections to **search** servers are cached in a way similar to what ... application framework in Perl, which works together with the **persistence layer** SPOPS. ...  
[perl.apache.org/docs/tutorials/tutorials.pdf](http://perl.apache.org/docs/tutorials/tutorials.pdf) - [Similar pages](#)

### [PS] XPath Engine for XML Store

File Format: Adobe PostScript - [View as Text](#)  
 ... call LocationPath Expression A location path PathExpression Expression An expression composed of a **filter** ex- ... i ? ... get node from **XML** Store ... **parse** ( ) ...  
[www.plan-x.org/projects/xpath/xpath.ps.gz](http://www.plan-x.org/projects/xpath/xpath.ps.gz) - [Similar pages](#)

[freshmeat update] December 13, 2002

... be expressed as  $z(x,y)$ . To **parse** complex mathematical ... email client that includes many **filter** options, spam ... releases/106352/ xmlto converts an **XML** file (DocBook ...  
www.mail-archive.com/ freshmeat-update-txt-mm@newsfeed.osdn.com/msg00176.html - 24k - Supplemental Result - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 9 already displayed.*

*If you like, you can repeat the search with the omitted results included.*



Free! [Google Desktop Search](#): Search your own computer.

xml filter parse "persistence layer" se

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google